



Intel® Connectivity Performance Suite

User Guide

Legal Disclaimer

You may not use or facilitate the use of this document in connection with any infringement or other legal analysis. You may not use or facilitate the use of this document in connection with any infringement or other legal analysis concerning Intel products described herein. You agree to grant Intel a non-exclusive, royalty-free license to any patent claim thereafter drafted which includes subject matter disclosed herein.

No license (express or implied, by estoppel or otherwise) to any intellectual property rights is granted by this document.

All information provided here is subject to change without notice. Contact your Intel representative to obtain the latest Intel product specifications and roadmaps.

All product plans and roadmaps are subject to change without notice.

The products described may contain design defects or errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.

Intel technologies' features and benefits depend on system configuration and may require enabled hardware, software or service activation. Performance varies depending on system configuration. No computer system can be absolutely secure. Check with your system manufacturer or retailer or learn more at [intel.com](https://www.intel.com).

Intel disclaims all express and implied warranties, including without limitation, the implied warranties of merchantability, fitness for a particular purpose, and non-infringement, as well as any warranty arising from course of performance, course of dealing, or usage in trade.

© Intel Corporation, Intel, the Intel logo, and other Intel marks are trademarks of Intel Corporation or its subsidiaries.

*Other names and brands may be claimed as the property of others.

Copyright © 2024, Intel Corporation. All rights reserved.

TABLE OF CONTENTS

Intel® Connectivity Performance Suite	4
User Guide	4
Overview	4
Network Health Page	5
Prioritization Page	7
Advanced Connection Manager	11
Intel Double Connect Technology.....	14
Notifications	15
Bluetooth.....	16
Advanced Settings Page.....	17
Help.....	18
IT Controls	19

INTEL® CONNECTIVITY PERFORMANCE SUITE

USER GUIDE

OVERVIEW

The Intel® Connectivity Performance Suite (ICPS) is a software solution that improves PC networking performance by creating a personalized network experience based on each user's unique situation. It automatically prioritizes high priority traffic over lower priority traffic to ensure that the user's most critical applications get the best networking performance. It also monitors several key wireless metrics and works to make sure users are always connected to the healthiest available access point and Wi-Fi band. If a problem cannot be automatically fixed, then ICPS will provide targeted recommendations that will help users improve their networking performance. Optimizing the network performance for each user's situation will provide a best-in-class networking experience and will directly address issues that cause PC users significant frustration.

NETWORK HEALTH PAGE

By default, the first page that you will see when you open ICPS is the Network Health Page. This page gives you real-time information about what network you are connected to and the score of each network.

Intel® Connectivity Performance Suite 4.1024.730.4

NETWORK SCORE Only show authorized networks

Type	Connect	Network	Band	NETWORK SCORE	Status
	<input checked="" type="checkbox"/>	S24-Hotspot	5	90	
	<input type="checkbox"/>	PROJc9a4a8	5	65	
	<input type="checkbox"/>	Hotspot4fqz	5	57	
	<input type="checkbox"/>	DIRECT-ZD-myC...	2.4	28	
	<input type="checkbox"/>	ymellado1	2.4	25	

Navigation sidebar:

- Network Health
- Prioritization
- Usage Details
- Advanced Connection Manager
- Notifications
- Bluetooth
- Advanced Settings
- Help

NETWORK SCORE

The score is based on several key metrics used by ICPS to come up with an overall network score that takes into account the most important drivers of network performance. Good scores will be shown in green, medium in yellow and poor in red. The Smart Access Point Selection feature looks at the scores and if there is a score delta of greater than 20%, ICPS will automatically switch the user to the better Access Point if it has the same SSID or will suggest a better Access Point if it is a different SSID (the suggestion will come as a pop-up notification and will also be available in the Notifications section of the UI).

PRIORITIZATION PAGE

Intel® Connectivity Performance Suite

intel Connectivity Performance Suite 4.1024.711.5

Network Health

Prioritization

Usage Details

Notifications

Bluetooth

Advanced Settings

Help

Prioritization Mode Selector

Boost the priority of the selected mode

- Voice and Video Calls
- Gaming
- Streaming
- Productivity

Top Apps in Boosted Category

24 hrs 7 days

Category	App/Website	Time Active
Voice and Video Calls	Microsoft Teams	0 hrs 26 mins

PRIORITIZATION

When the “Prioritization” button is turned on (from the Advanced Settings page), high priority traffic will automatically be prioritized to give users the best networking experience. Every application and website that ICPS detects is automatically put into one of five categories (+ one custom category), prioritized by how important that traffic is. Below is the list of categories in priority order:


- Voice and Video Calls:** usually VOIP applications like Teams, Skype, or Discord, are put into this category by default.
- Gaming:** game traffic is prioritized to provide the lowest possible latency.
- Streaming:** services for streaming video like Netflix, YouTube, and Twitch.
- Productivity:** includes standard productivity applications and is the default category for standard web traffic
- Downloads:** large downloads that consume a large amount of bandwidth

Custom (Admin. Defined): An application that has been overridden by your system administrator to a different priority (only available on vPro products).

MODE SELECTOR

The user can Boost the priority of the mode that they feel is the most important for their user experience. By clicking on a mode, the green arrow will appear beside that mode displaying that category has been boosted. Boosting a mode is not required to get good performance, but it will provide extra priority to the selected category of traffic. Please note that ICPS does not allow the user to boost downloads as that can have a very negative impact on other traffic. For vPro systems only, the “Gaming” mode will not display as a boost-able category, however, gaming traffic is still being prioritized based on the traffic priority detailed above.

If the Advanced Connection Manager is available, because the user has more than one network connected to the PC, and the user has manually configured the traffic, selecting the Mode will prompt the following pop-up message:




If the user continues, the manual traffic configuration will be reset to default and the chosen traffic category can be boosted.

USAGE DETAILS

When “Usage Details” is turned from the Advanced Settings page, on the user will see usage data for the most used apps. The usage data can be shown as the last 24 hours or last 7 days, depending on which radio button is chosen.
















The data will be shown in two categories: Top Apps in Boosted Category (on the Prioritization page) and Top Apps in All Categories (on the Usage Details page). The data will show which Mode the app is placed in, the name of the app, and the time that it is connected to the network within the time period chosen.

The data shown is not displayed real time, rather it is collected and when the application exits the data is stored locally. Once stored it is read and then displayed by the UI in the Usage Details section.




If the Usage Details radio button is switched off/on, the usage details will reset and the counter will start over.

The “Show More” button will display the top 15 apps in a separate window, giving the user a larger view of the apps being used.

Category	App/Website	Time Active
	Microsoft Outlook	26 hrs 32 mins
	VPN Agent Service	19 hrs 15 mins
	Microsoft Teams	18 hrs 25 mins
	Microsoft PowerPoint	15 hrs 40 mins
	MicrosoftSearchInBing	10 hrs 51 mins
	Microsoft OneNote	4 hrs 32 mins
	Microsoft OneDrive	2 hrs 22 mins
	Host Process for Windows Services	2 hrs 7 mins
	SharePoint, Team Collaboration Software Tools	2 hrs 6 mins
	Microsoft Edge WebView2	2 hrs 4 mins
	it-servicecontroller	1 hrs 23 mins
	NT Kernel & System	1 hrs 22 mins
	ServiceHub.SettingsHost.exe	1 hrs 22 mins
	Google Chrome	1 hrs 21 mins
	it-serviceupdate-service	1 hrs 10 mins

ADVANCED CONNECTION MANAGER

The Advanced Connection Manager allows the user to manage the traffic categories across each of the connected networks. If more than one network is connected to the PC, the Advanced Connection Manager tab will appear. If only one network connection has been connected the Advanced Connection Manager will not show until a second connection has been connected. Once a second connection has been used, the Advanced Connection Manager will stay persistent on the PC to remind the user that they can use multiple connections. The user can choose three options when using this feature: Auto Mode, Max Throughput Mode and Manual Mode. Auto mode will automatically make the best network determination depending on the network score and traffic category. Max throughput mode will allow a download to concurrently use all available networks and manual mode will allow the user to choose which traffic category uses which network.



Manual Mode:

Manual Mode allows the user to determine which category of traffic uses which network interface by selecting the radio button associated with each connected interface.

The screenshot shows the Intel Connectivity Performance Suite interface. The top navigation bar includes the Intel logo, the text 'Connectivity Performance Suite', and the version number '4.1024.711.5'. A left sidebar contains menu items: Network Health, Prioritization, Usage Details, Advanced Connection Manager (highlighted), Notifications, Bluetooth, Advanced Settings, and Help.

The main content area is titled 'Advanced Connection Manager' and includes the following options:

- Advanced Connection Manager**
(Enables all available networking interfaces)
- Auto Mode**
(Optimized for most environments)
- Max Throughput Mode**
(Downloads go over all interfaces)
- Manually Configure Connection Settings**


Below these options, a text block states: 'Advanced Connection Manager provides the ability to use Wi-Fi, Ethernet and WWAN concurrently. Click to determine which category uses which interface'.

A table allows users to configure traffic categories for two interfaces: Wi-Fi and Ethernet 2.

Category	Wi-Fi	Ethernet 2
Voice and Video Calls	<input type="radio"/>	<input type="radio"/>
Gaming	<input type="radio"/>	<input type="radio"/>
Streaming / Productivity	<input type="radio"/>	<input type="radio"/>
Downloads	<input type="radio"/>	<input type="radio"/>


An 'Apply' button is located at the bottom of the configuration table.

If the user has connected more than one network in the past, the Advanced Connection Manager tab will appear, but will remind the user that it requires more than one network be connected to use.



INTEL DOUBLE CONNECT TECHNOLOGY

Intel® Double Connect Technology takes advantage of the two radios on the Intel® Wi-Fi 6E AX411 and intelligently routes traffic to the optimal Wi-Fi radio. This enables the simultaneous use of both the 5/6GHz and 2.4GHz bands with the same SSID. This will lead to better application performance and a theoretical max throughput of 3Gbps.



Intel Double Connect Technology will identify each radio and send traffic over the radio that is most effective. ICPS will automatically detect if the appropriate Wi-Fi module is installed to make use of Intel® Double Connect Technology without requiring any user intervention. If Double Connect is turned off, the second radio is still enabled however no traffic will be routed over the second radio.

NOTIFICATIONS

This section will display recommendations and notifications that the user may perform in order to improve their networking experience. The user can also dismiss the recommendation by using the trash icon, in which the recommendation will not show again for that network. The recommendation can be restored from the setting page by checking the Reset Recommendation Preferences option.

The following recommendations are available:


Recommendations
Your computer has more advanced Wi-Fi capabilities (Wi-Fi generation) than your access point (Wi-Fi generation). Consider upgrading your access point.
Network xx offers significantly better connectivity than your current network.
Your computer has a faster ethernet link rate than your network equipment. Consider checking/updating your ethernet switch, router, or network cables.
Your 2.5GHz and 5GHz WIFI bands have different names. We recommend you name them the same.
High traffic detected from other devices on your network – turn off other devices for best performance.
Low Wi-Fi bandwidth detected – move closer to your router.
Help improve Intel® software by providing anonymous statistics via the Intel® Computing Improvement Program.

Notifications will display important messages to notify the user why their PC may not allow multiple network operations. The following notifications are available:

Notifications
A corporate access point has been detected. Advanced Connection Manager is limited to one broadband network.
The use of multiple network interfaces has been disabled in the operating system (typically done by IT). Advanced Connection Manager is limited to one network interface.
To avoid any disruptions to the current VPN session, AP Switching has been disabled. AP Switching can be enabled in the advanced settings.
Intel® Connectivity service is disconnected.
Cellular usage is set to “Always” therefore Advanced Connection Manager is disabled. To change this setting go to Windows settings.

BLUETOOTH

The Bluetooth page will display the Bluetooth devices that are connected to your PC. You will be able to connect to the device and rename it to a friendly name for easier recognition. You can also scan for new devices by clicking the Scan button. The page will also display the type of Bluetooth device that is detected.





Intel® Connectivity Performance Suite

4.1024.711.5


Bluetooth

Scan

Type	Device Name	Connect	Edit Name
	Jeff's Galaxy buds Paired	<input type="radio"/>	

ADVANCED SETTINGS PAGE

This page contains settings for advanced users to control how ICPS functions.



The VR functionality allows the user to easily connect to a Meta HMD (head mount display) set by creating a QR code that the HMD can point to. Clicking 'Start VR Mode' will start the hotspot and automatically show a QR code. Clicking on the QR code will enlarge it for easier viewing from HMD.

There are also three options that can be toggled on or off.

1. Pop up notification for better access points: This enables a pop-up notification to be displayed if there is a significantly better access point than the one you are currently using. The pop up will have a button on it that will allow to quickly switch to the better access point.
2. Automatically switch to a better network: This enables automatic switching to a better network if one is available and if the Wi-Fi score is 20% better than the one the users is connected to. The user must also have permission to connect to the better network.
3. Enable AP Switching when connected to VPN: This will enable the user to automatically switch to a better access point even if the user is currently connected to a VPN. By default, ICPS will not auto switch when a user is connected to a VPN.

There are also two reset buttons for resetting preferences and defaults.

1. Reset Recommendation preferences: This button can be used to once again show the recommendations on the Network Health page.
2. Reset all settings to default: This button can be used to restore all custom settings back to defaults.

HELP

The help page is accessed by clicking on the help icon.

Once the icon is clicked the help page will show. It will provide more detailed information about each one of the pages on the left of the application.

Intel® Connectivity Performance Suite

intel Connectivity Performance Suite 4.1024.711.5

Help

- Network Health
- Prioritization
- Usage Details
- Notifications
- Bluetooth
- Advanced Settings
- Help**

The Network Health page gives you real-time information about the access point you are connected to, and a network score for each available access point.

Only show authorized networks

Toggle this option to hide networks that you have not authenticated to previously.

Type

Icons in this column indicate ethernet, 5G, or Wi-Fi connections.

Connect

Networks you are currently connected to appear with a green Connect icon. You can click on other Connect icons to connect to other available networks.

Network

The network name or SSID. Some entries appear with drop-down toggle buttons that let you view or hide those networks' subnets and MAC addresses.

Band

For Wi-Fi networks, shows the RF band used for the network, 2.4 (GHz) or 5 (GHz).

Network Score

The Network Score is based on key metrics used by the application to assign a score that takes into account the most important drivers of network performance. Good scores are shown in green, medium in yellow, and poor in red. The Smart Access Point Selection feature looks at the scores and if there is a score delta greater than 20%, the application will automatically switch to the better Access Point if it has the same SSID, or will suggest a better Access Point if it is a different SSID. The suggestion appears as a pop-up notification and also in the Notifications tab.

Status

IT CONTROLS

The Intel® Connectivity Performance Suite offers the IT Department the ability to control the user settings for the software that is deployed to their user base. This is done with an integrated Command Line Tool and needs to be run as Admin. The IT shop should use the following process to access the tool:

How to deploy ICPSCMD:

1. Install ICPS appx
2. Create a folder on desktop or any other location that has full admin access
3. Access the ICPS app folder. You can find the app path using below in command prompt

```
cd %PROGRAMFILES%\WindowsApps\AppUp.IntelConnectivityPerformanceSuite*
```

(For Example, above command directs to C:\Program

Files\WindowsApps\AppUp.IntelConnectivityPerformanceSuite_3.1022.1219.0_x64__121mr4mtzh4gw on my local system)

4. Open the ICPS app folder and copy below files to new folder created in #2

ICPSCMD.exe

ICPSCMDUtil.dll

IntelConnectApi.dll

KillerNetworkServiceLib.dll

RNService.dll

UIUtils.dll

5. Execute commands

Usage

```
ICPSCMD [Get/Set] [Command] [Arguments]
```

Global options

```
--version          Display ICPSCMD version
--help, -h         Display help documentation
```

Available Commands

Get Commands

enableuserchanges	Returns current setting of Allows user to change settings
apselection	Returns current setting of APSelection (On or Off)
notifications	Returns current setting of notification popups (On or Off)
betternetwork	Returns current setting of "Always Select Better Network" (On or Off)
vpnapselection	Returns current setting of "Allow AP Selection when VPN is active" (On or Off)
acm	Returns current setting of ACM (Manual, Auto, MAX or Off)
acmcorp	Returns whether ACM is enabled on corporate networks(On or Off)
displaygames	Returns status of display games (On or Off)
rule [website domain/.exe]	Return the priority of the website or .EXE

Set Commands

enableuserchanges [on/off]	Allows user to change settings
apselection [on/off]	Turns on or off APSelection
notifications [on/off]	Turns on or off pop-up notifications
betternetwork [on/off]	Turns on or off always select better network
vpnselection [on/off]	Allows AP Selection when VPN is active
acm [on/off] [auto/max]	Turn Advanced Connection Manager to on in Auto/Max mode or off
acmcorp [on/off]	Turns on/off ACM on corporate networks
displaygames [on/off]	Turns on/off display games
defaults	Puts all settings back to defaults
rule [web domain/.exe] [priority] [% Bandwidth]	Sets a rule for Priority and Percent Bandwidth on a website domain or .EXE