


#### CONTENT



- > Introduction
- > Ericsson HDS 8000
  - -Hardware components
  - -Workload optimization
  - -Interfaces
  - Datacenter evolution
  - -Command Center interfaces in relation to Rackscale Architecture
- > Reflections
- >Summary

# ERICSSON HDS 8000 SUPPORTS ALL WORKLOADS





## MULTI-APPLICATION PLATFORM HISTORY OF HDS 8000



Started development of multi-application infrastructure systems

1st generation based on Blade System (Ericsson Integrated Site) 2nd generation platform (Ericsson BSP 8100)

3rd generation cloud and datacenter optimized system (Ericsson HDS 8000)





# ERICSSON HDS 8000 - HYPERSCALE COMPUTING FOR EVERYBODY



- Next generation datacenter infrastructure platform
- > Built in collaboration with Intel
- Disaggregated datacenter solution using Intel® Rack Scale Architecture
- > Fully optical interconnect



#### ERICSSON HDS 8000







#### **Disaggregated hardware**

Seamless scalability with efficient life cycle management

#### **Full optical interconnect**


Enabling hyperscale Futureproof deployments

#### **HDS Command Center**

Advanced analytics, automation, orchestration and asset governance

## TODAY'S FORCED CHOICE: FLEXIBILITY VS. UTILIZATION





#### HDS 8000 COMPONENTS



Abstract
Software Defined
Infrastructure

vPOD 1

vPOD M

#### Command Center software

Framework: Physical Enclosure, Management Channels, Fiber Backplanes

Physical Resources

Compute Pool

Disk Pool Switch Pool

Pool

**Acceleration** 






### HDS WORKLOAD OPTIMIZATION




Software defined vPODs created from heterogeneous hardware pools



#### HDS INTERFACES



Supports all popular requested OS environments and APIs (*Illustration shows some examples of supported interfaces*)



## ONE CHASSIS FOR MANY GENERATIONS OF SERVER AND STORAGE SLEDS



Enabled by a future proof passive optical backplane and self contained sleds with a simple interface:

- Protocol agnostic opto links for all user data
- Standard AC feed
- Standard equipment management interface



### EXTERNAL OPTICAL INTERFACE






# HDS OPTICAL INTERFACES FLEXIBILITY



Pooled disk system example



### HDS DATACENTER EVOLUTION



New Features & Components (e.g. CPU, Disk, RAM, Acceleration, Switch)

Feedback for optimization

455

**Orchestrated Hardware Components** 

**Application Analytics** 



**Component Pools** 



Software Defined Infrastructure




Infrastructure Analytics

Software-defined infrastructure enables optimization based on real time analytics

## HDS COMMAND CENTER INTERFACES RSA COMPLIANT APIS WITH VALUE ADD EXTENSIONS





### SDI REFLECTIONS

- > Industry wants software defined infrastructure Intel® Rack Scale Architecture / HDS delivers!
  - -Automation and higher level services needed to provide
  - -Aim to simplify for users but that is not simple

good value

#### For the Ecosystem and SDI users:

- How can we offer high level services that also simplify usage for the users?
- Which interfaces and models make service delivery simpler and more efficient?
- Where should these interfaces and models be specified and standardized?

### UTILIZATION REFLECTIONS



Industry wants higher utilizations - Intel® Rack Scale Architecture / HDS delivers through shared resources / pooled systems

- The key requirements to enable success
  - A thorough security architecture
  - -Simple handling and interaction of
    - > Multi pool systems e.g. user administration, certificates, fault indications
    - > Multi user systems e.g. Service Level Agreements, resource allocation
  - -Good analytics
  - -Higher abstraction levels of user API and models
  - -Standardization of metrics for more comparable systems

### SUMMARY



- > Ericsson HDS 8000:
  - -Rackscale compliant Software Defined Infrastructure with 3PP support
  - -vPOD extensions offer software defined POD hardware partitions with analytics
  - -Fiber optics for scalability and future proof installations
- Ecosystem contribution to Intel® Rack Scale Architecture success should aim for automation and simplicity using modular and portable designs
- Consumption of infrastructure on higher abstraction level gives higher efficiency but requires use pattern changes



## **ERICSSON**